Response - March 6, 2007 U.S. Application Serial No. 10/775,647 RECEIVED CENTRAL FAX CENTER MAR () 6 2007

## IN THE CLAIMS:

This listing of claims replaces all prior versions and listings of the claims in this application:

- 1.-3. (Canceled)
- 4. (Previously presented) A method for supporting the growth of eukaryotic cells in vitro, said method comprising the step of contacting the eukaryotic cells in vitro with a cell growth substrate comprising stomach submucosal tissue of a warm-blooded vertebrate under conditions conducive to the proliferation of said cells.
- 5. (Currently amended) The method of claim 44, wherein the stomach submucosal tissue comprises the tunica submucosa delaminated from both the tunica muscularis and at least the luminal portion of the tunica mucosa.
- 6. (Currently amended) The method of claim 44 wherein the step of contacting the cukaryotic cells with a cell growth substrate comprises culturing the cells on cultureware that has been coated with fluidized submucosal tissue.
- 7. (Currently amended) The method of claim 44, wherein the cell growth substrate comprises fluidized stomach submucosal tissue.
- 8. (Currently amended) The method of claim 44, wherein the cell growth substrate comprises fluidized stomach submucosal tissue and liquid cell culture media.
- 9. (Currently amended) The method of claim 44, wherein the cell growth substrate comprises a powder form of stomach submucosal tissue.
- (Previously presented) A method for growing eukaryotic fastidious cells in vitro, said method comprising

Response - March 6, 2007 U.S. Application Serial No. 10/775,647

contacting said cells in vitro with a cell growth substrate comprising stomach submucosal tissue of a warm-blooded vertebrate under conditions conducive to the proliferation of said cells.

- 11. (Currently amended) The method of claim 710, wherein the stomach submucosal tissue comprises the tunica submucosa delaminated from both the tunica musculavis and at least the luminal portion of the tunica mucosa.
- 12. (Currently amended) The method of claim 710 wherein the step of contacting the cukaryotic cells with a cell growth substrate comprises culturing the cells on cultureware that has been coated with fluidized submucosal tissue.
- 13. (Currently amended) The method of claim 710, wherein the cell growth substrate comprises fluidized stomach submucosal tissue.
- 14. (Currently amended) The method of claim 710, wherein the cell growth substrate comprises fluidized stomach submucosal tissue and liquid cell culture media.
- 15. (Currently amended) The method of claim 710, wherein the cell growth substrate comprises a powder form of stomach submucosal tissue.